



全漢企業股份有限公司

SPI Electronic Co., Ltd.

台灣桃園市建國東路 22 號  
TEL : 886-3-375-9888  
<http://www.fsp-group.com.tw>

No. 22, Jianguo E. Rd., Taoyuan City,  
Taiwan, R.O.C.  
FAX : 886-3-375-6966  
Email:sales@mail.fsp-group.com.tw

# MECHANICAL DRAWING




OAD06012889

FSP271-4F02

Released Date:2006/4/6-23:45:40

Connector															
Pin No.															
Item	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
CNS1	+5Vsb	PS-ON	+5V	+5V	+5V	+5V	+5V	+5V	GND	GND	GND	BL-ON	GND	BRI	GND
CNS2	+18V	+18V	+18V	+18V	GND	GND	GND	GND	GND	GND	GND				
CNS3	+24V	+24V	+24V	+24V	+24V	GND	GND	GND	GND	GND	BRI	BL-ON			
CNS4	+24V	+24V	+24V	+24V	+24V	+24V	+24V	+24V	GND	GND	BRI	BL-ON			



Notes:  
 1. CNS1 : J1WT B2513HO2-15P/B2513TOP-2 or equivalent.  
 CNS2 : J1WT B2513HO2-11P/B2513TOP-2 or equivalent.  
 2. CNS3 : J1WT B2513HO2-12P/B2513TOP-2 or equivalent.  
 3. CNS4 : J1WT B2513HO2-12P/B2513TOP-2 or equivalent.

P/N.: 90C2710300

MODEL NO. : FSP271-4F02	TITLE: PHYSICAL DIMENSION	SHEET: 1 OF 2	REV: 04
R&D(7th Dept.)	P E	DRAWN	DATE
L.J	LARRY.CHANG	MATISSE	2006-4-06
INTERIOR COUNTERSIGN:			

THRO-ANGLE PROJECTION	DIMENSIONAL TOLERANCES		HOLES : ±0.05		ANGLES : ±0.5°	
	( )	( )	( )	( )	( )	( )
<30	±0.2	DECIMALS	UP-100 ±0.2	250-300 ±0.4	UP-600 ±1.5	
>30-100	±0.3	X	100-150 ±0.25	300-350 ±0.45	600-900 ±2.4	
>100-200	±0.4	XX	150-200 ±0.3	350-400 ±0.5	900-OVER ±3.1	
>200-300	±0.5	XXX	200-250 ±0.35			
>300	±0.8					
SCALE: FREE	UNIT: mm					

Mechanical Drawing (外觀/機構圖) 表單編號: 7000P-0111

Rev.	Description	Sym.	DATE
01	Specification issue		02/10'06
02	機台高度修正為32mm		2006-3-16
03	客戶變更output connector為排線,故增加排線圖示		2006-4-04
04	connector標示錯誤,故修正為接系統端之connector		2006-4-06
P/N.: 90C2710300			
MODEL NO.: FSP271-4F02			
TITLE: PHYSICAL DIMENSION		SHEET: 2 OF 2	
REV: 04		DATE	
P E		DRAWN	
LARRYCHANG		MATISSE	
INTERIOR COUNTERSIGN:		2006-4-06	

SPI Electronic Co., Ltd. 